



THE PERFECT CUT WITH HUSQVARNA CONSTRUCTION

PETROL POWER CUTTERS



C HUSQVARNA K1270 RAIL 14"
1190 cc • 5.8 kW • Cutting depth 118 mm
• Arbor 25.4 mm • 20.5 kg
• Delivered without blade
• Suited to 350 mm Diamond blade



C HUSQVARNA K1270 16"
1190 cc • 5.8 kW • Cutting depth 125 mm
• Arbor 25.4 mm • 13.3 kg
• Delivered without blade
• Suited to 400 mm Diamond blade



C HUSQVARNA K970-III 16"
94.0 cc • 4.8 kW • Cutting depth 155 mm
• Arbor 25.4 mm • 11.6 kg
• Delivered without blade
• Suited to 400 mm Diamond blade



C HUSQVARNA K970 14"
94.0 cc • 4.8 kW • Cutting depth 125 mm
• Arbor 25.4 mm • 11.0 kg
• Delivered without blade
• Suited to 350 mm Diamond blade



C HUSQVARNA K770 VAC 12"
174.0 cc • 3.7 kW • Cutting depth 125 mm
• Arbor 20 • 11.3 kg
• Delivered without blade
• Suited to 300 mm Diamond blade



C HUSQVARNA K770 14" Oilguard
74.0 cc • 3.7 kW • Cutting depth 125 mm
• Arbor 20/25.4 mm • 10.1 kg
• Delivered without blade
• Suited to 350 mm Diamond blade



C HUSQVARNA K770 14"/12"
74.0 cc • 3.7 kW • Cutting depth 125 mm
• Arbor 20/25.4 mm • 9.8 kg
• Delivered without blade
• Suited to 350 mm Diamond blade

ELECTRIC POWER CUTTERS



C HUSQVARNA K4000 CUT N BREAK
230 V • 2.7 kW
• Cutting depth 400 mm • 8.9 kg
• Delivered with blades - EL10



C HUSQVARNA K4000 WET 14
230 V • 2.7 kW • Cutting depth 125 mm
• Arbor 25.4 mm • 8.5 kg
• Delivered without blade
• Suited to 350 mm Diamond blade

BATTERY POWER CUTTERS



C HUSQVARNA K535i
Li-Ion 36 V • Cutting depth 76 mm
• 3.5 kg • Excludes battery & charger
• Delivered with blade

FLOOR SAWS



C HUSQVARNA FS 305
3.6 kW • Cutting depth 125 mm
• Blade diameter 350 mm • 54 kg



C HUSQVARNA FS 400 LV
500mm blade (967796501)/
450mm blade (965148201)
• Honda GX 390
• Max cutting depth 189 (500 mm blade)



C HUSQVARNA TACTI-CUT
Quality blade for less intensive
professional cutting in most materials
with a good balance between performance
and price. Diameters 300 - 400 mm.

CORING



C HUSQVARNA CORE BARREL
Coring Barrels for all applications.
Asphalt & abrasive materials.



C HUSQVARNA DM 230
220 - 240 V • 1-ph • 50 Hz • 11/14" 7
• Handheld core drilling up to
80 mm freehand or drilling with
stand up to 150 mm

COMPACTION(CPL)



C HUSQVARNA LP 6505
Manual start • Motor Hatz 1D42S
• Power 7 kW • Weight 745 kg
• Centrifugal force 22 kN



C HUSQVARNA Lfv80
Honda GX390



C HUSQVARNA LT8005
Motor Hatz 1B20 • Power 3 kW
• Weight 97 kg • Frequency 12 Hz

PLACEMENT (CPL)



C HUSQVARNA MCT36
Trowels MCT 36 - 5 M Series
• Motor Loncin • Power output 41 kW
• Blades 4 pc

FOREST, GARDEN & CONSTRUCTION PRODUCTS



BOOK YOUR ANNUAL SERVICE NOW

+ Top quality + Warranty and endurance + Optimal output + Maximum safety + Maximum performance + Maximum uptime

BATTERY



H HUSQVARNA 120i
BATTERY CHAINSAW
36.5 V • 30 cm • 3.0 kg
• Includes BLi20 battery & QC80 charger



H HUSQVARNA 115iL
BATTERY TRIMMER
36.5 V • 33 cm Cutting width
• 3.45 kg • Includes BLi10 battery & QC80 charger



H HUSQVARNA 315iC
BATTERY TRIMMER
Li-Ion 36 V • 33 cm Cutting width
• 2.8 kg • Excludes battery & charger



H HUSQVARNA 115iHD45
BATTERY HEDGE TRIMMER
36.5 V • 45 cm Bar • 3.2 kg Includes
BLi10 battery & QC80 charger



H HUSQVARNA 120iTK4
BATTERY HEDGE TRIMMER
36.5 V • 50 cm Bar • 2.8 kg
• Excludes battery & charger



H HUSQVARNA 120iB
BATTERY BLOWER
Li-Ion 36 V • Air Speed 165 km/h
• 4.1 kg • Includes BLi20 Battery & QC80 charger



H HUSQVARNA LC141Li
BATTERY LAWNMOWER
36 V • 41 cm • Push
• Excludes battery & charger



H HUSQVARNA LB146i
BATTERY LAWNMOWER
36 V • 46 cm • BioClip®
• Excludes battery & charger
• Dual-battery slot



H HUSQVARNA S 138i
BATTERY SCARIFIER
36 V • 38 cm • Push
• Scarifier/Moss Rake
• 45 L Collector • Excludes battery & charger
• Includes 2 reels
• Dual-battery slot



H HUSQVARNA BLi10/
BLi20/ BLi30 BATTERY
Li-Ion 36 V • 2.0/4.0 Ah
• 72/144 Wh • Charging time to
80%/100% with QC80 50 - 70 min/
110 - 130 min



H HUSQVARNA
QC80F CHARGER
220 V/12 V • 80 W



L HUSQVARNA LC247iX
BATTERY LAWNMOWER
Li-Ion 36 V • 47 cm Cutting width
• Push • Dual-battery slot • 55 L Grass
Collector • Excludes battery & charger



L HUSQVARNA 320iB
BATTERY BLOWER
Li-Ion 36 V • Air Speed 169 km/h
• 2.4 kg • Excludes battery & charger



C HUSQVARNA 525iB
BATTERY BLOWER
Li-Ion 36 V • Air Speed 172 km/h
• 2.8 kg • Excludes battery & charger



C HUSQVARNA 530iBX
BATTERY BLOWER
Li-Ion 36 V • Air Speed 178.6 km/h
• 2.9 kg • With backpack
battery adaptor



C HUSQVARNA 550iBTX
BATTERY BACKPACK BLOWER
Li-Ion 36 V • Air Speed 194 km/h
• 6.3 kg • Used with Backpack Battery
• Excludes battery & charger



C HUSQVARNA 340iBT
BATTERY BLOWER
36 V • 52 m/s • 6kg
• Dual Battery slot



C HUSQVARNA T535i XP® TOP
HANDLE BATTERY CHAINSAW
36 V • 25 - 35 cm • 2.6 kg
• Excludes battery & charger



C HUSQVARNA T540i XP® TOP
HANDLE BATTERY CHAINSAW
Li-Ion 36 V • 14" .0325/.043 - SP21G
• 3.5 kg • Excludes battery & charger
• Suited to BLi200X



C HUSQVARNA 540i XP®
BATTERY CHAINSAW
Li-Ion 36 V • 14" .0325/.043 - SP21G
• 3.8 kg • Excludes battery & charger
• Suited to BLi200X



C HUSQVARNA 535iXP®
BATTERY CHAINSAW
Li-Ion 36 V • 14" - SP21G • 2.6 kg
• Excludes battery & charger



C HUSQVARNA 530iP4 BATTERY
POLE PRUNER SAW
36 V • Total length 2.5 m • 3.4 kg
• Excludes battery & charger



C HUSQVARNA 530iPT5 BATTERY
POLE PRUNER SAW
36 V • 5 kg • Total ext. length 3.95 m
• Excludes battery & charger
• Extendable



C HUSQVARNA 520i LX
BATTERY TRIMMER
Li-Ion 36 V • 40 cm Cutting width
• 3.0 kg • Excludes battery & charger



C HUSQVARNA 520i RX
BATTERY BRUSHCUTTER
Li-Ion 36 V • 40 cm Cutting width
• 3.8 kg • Excludes battery & charger




C HUSQVARNA 535i RX
BATTERY BRUSHCUTTER
Li-Ion 36 V • 45 cm Cutting width
• 4.9 kg • Excludes battery & charger



C HUSQVARNA 535i FR BATTERY
BRUSHCUTTER/CLEARING SAW
Li-Ion 36 V • 45 cm Cutting width
• 4.5 kg • Excludes battery & charger



C HUSQVARNA 325i LK
BATTERY BRUSHCUTTER
Li-Ion 36 V • 42 cm Cutting width
• 3.9 kg • Excludes battery & charger
• Includes trimmer attachment • Split shaft



C HUSQVARNA 530i PX BATTERY
POLE CLEARING SAW
Li-Ion 36 V • 10" 3/8/050 - H38
• 3.1 kg • Excludes battery & charger



C HUSQVARNA 520i HD70
BATTERY HEDGE TRIMMER
Li-Ion 36 V • 10" 3/8/050 - H38
• 3.1 kg • Excludes battery & charger



C HUSQVARNA 520i HE3
BATTERY POLE HEDGE TRIMMER
Li-Ion 36 V • 55 cm Bar • 3.5 m Reach
• 4.15 kg • Excludes battery & charger



C HUSQVARNA BLi950X
BACKPACK BATTERY
36 V • 311/15.6 Ah
• 1120/562 Wh • 7.9/7.1 kg



C HUSQVARNA BLi550X
BACKPACK BATTERY
36 V • 311/15.6 Ah
• 1120/562 Wh • 7.9/7.1 kg



C HUSQVARNA QC500/
330/ CHARGER
36 V • 311/15.6 Ah
• 1120/562 Wh • 7.9/7.1 kg



C HUSQVARNA BLi300/ BLi200X
/BLi100 BATTERY
Li-Ion 36 V • 9.4/5.2/2.6 Ah

CHAINSAWS PETROL CHAINSAWS



C HUSQVARNA 3120XP®
118.8 cc • 6.2 kW • 60 - 105 cm • 10.4 kg



C HUSQVARNA 395XP®
93.6 cc • 4.9 kW • 45 - 90 cm • 7.9 kg



C HUSQVARNA 272XP®
72.2 cc • 3.6 kW • 38 - 71 cm • 6.3 kg



C HUSQVARNA 365 SPECIAL
65.1 cc • 3.4 kW • 38 - 70 cm • 6.0 kg



C HUSQVARNA 372 XP®
70.7 cc • 3.9 kW • 38 - 71 cm • 6.1 kg



C HUSQVARNA 61
61.5 cc • 2.9 kW • 38 - 71 cm • 6.1 kg



L HUSQVARNA 450 E-SERIES II
50.2 cc • 2.4 kW • 33 - 50 cm • 5.1 kg



L HUSQVARNA 440 E-SERIES II
40.9 cc • 1.8 kW • 33 - 46 cm • 4.4 kg



L HUSQVARNA 353
51.7 cc • 2.4 kW • 15" .325/058 • 5.0 kg



H HUSQVARNA 130
38.0 cc • 1.5 kW • 33 - 40 cm • 4.7 kg



H HUSQVARNA 120 II
38.2 cc • 1.4 kW • 33 - 40 cm • 4.8 kg



C HUSQVARNA 565
70.6 cc • 38 - 70 cm • 3.7 kW • 6.5 kg



C HUSQVARNA 572 XP®
70.6 cc • 38 - 70 cm • 4.3 kW • 6.6 kg

FIND YOUR HUSQVARNA AT WWW.HUSQVARNA.CO.ZA

TOP HANDLE CHAINSAWS CONTINUED



C HUSQVARNA T525
27.0 cc • 1.1 kW • 10" 3/8/050 • 2.7 kg



H HUSQVARNA 420 EL
23.0 V • 2000 W • 40 cm • 4.7 kg

POLE PRUNING SAW

*Optional accessories: Balance Flex™ harness.



C *HUSQVARNA 525PT5S
25.4 cc • 1.0 kW • 10" 1/4/043 • 7.0 kg
• Total Length 3.97 m • Extendable shaft



C *HUSQVARNA 525P5S
25.4 cc • 1.0 kW • 12" 3/8/050 • 6.4 kg
• Total Length 3.5 m • Detachable shaft




C *HUSQVARNA 525P4S
25.4 cc • 1.0 kW • 12" 3/8/050
• 5.3 kg • Total Length 2.4 m

BRUSHCUTTERS & GRASS TRIMMERS



C HUSQVARNA 555FRM
53.3 cc • 2.8 kW • 9.2 kg



C HUSQVARNA 553RS
50.6 cc • 2.3 kW • 8.6 kg



C HUSQVARNA 545FR
45.7 cc • 2.1 kW • 8.7 kg



C HUSQVARNA 541RS
41.5 cc • 1.6 kW • 7.1 kg
Designed for all day, every day
working in hot, dusty environments.



C HUSQVARNA 545RXT
45.7 cc • 2.2 kW • 8.6 kg



C HUSQVARNA 541RST
41.5 cc • 1.6 kW • 7.3 kg



C HUSQVARNA 143R-II
41.5 cc • 1.5 kW • 7.6 kg



C HUSQVARNA 531RS
33.6 cc • 1.2 kW • 6.9 kg



L HUSQVARNA 131R
32.6 cc • 0.9 kW • 8.4 kg



C HUSQVARNA 525RX
25.4 cc • 1.0 kW • 4.9 kg



C HUSQVARNA 525LS
25.4 cc • 1.0 kW • 4.6 kg



H HUSQVARNA 129R
27.5 cc • 0.85 kW • 5.4 kg



H HUSQVARNA 129C
27.5 cc • 0.85 kW • 4.49 kg



H HUSQVARNA 129L
27.5 cc • 0.85 kW • 4.76 kg



C HUSQVARNA 553RBX
50.6 cc • 2.3 kW • 12.1 kg

*COMBI TRIMMERS



C HUSQVARNA 525LK
25.4 cc • 10 kW • 4.5 kg
• Loop handle • Straight shaft

C HUSQVARNA 535LK
34.6 cc • 1.5 kW • 5.8 kg
• Loop handle • Straight shaft



CLEARING SAWS



C HUSQVARNA 555FX
53.3 cc • 2.8 kW • 8.9 kg



C HUSQVARNA 545FX T
45.7 cc • 2.2 kW • 8.2 kg • Autotune™



C HUSQVARNA 535FBX
34.6 cc • 1.6 kW • 33 cm Bar • 12.4 kg

HEDGE TRIMMERS



C HUSQVARNA 525HF3S
25.4 cc • 1.0 kW • 65 cm • 6.1 kg



C HUSQVARNA 525HE4
25.4 cc • 1.0 kW • 60 cm • 7.0 kg



C HUSQVARNA 522HD60S
21.7 cc • 0.6 kW • 60 cm • 5.0 kg



H HUSQVARNA 122HD60
21.7 cc • 0.6 kW • 59 cm • 4.9 kg

SPECIALITY PLANT CARE & GARDEN EQUIPMENT



L HUSQVARNA 325S25 SPRAYER
25.4 cc • 0.8 kW • 25 L • 9.8 kg



L HUSQVARNA 321S25 SPRAYER
25.4 cc • 0.7 kW • 25 L • 10.0 kg



L HUSQVARNA 321S15 SPRAYER
25.4 cc • 0.7 kW • 15 L • 9.2 kg



L HUSQVARNA 8 LITER COMPRESSION SPRAYER
1 PPL • 42 PSI • 1.2 m PVC hose



C HUSQVARNA 362D28 DUSTER
62.0 cc • 2.8 kW • 28 L • 12.0 kg



C HUSQVARNA 362M18 MISTER
62.0 cc • 2.8 kW • 18 L • 12.0 kg



C HUSQVARNA 15 LITER BACKPACK SPRAYER
15 PPL • 40 PSI • 1.2 m PVC hose



H HUSQVARNA 1.5 LITER HANDHELD SPRAYER MISTER
30 PSI • Brass adjustable nozzle

BLOWERS



L HUSQVARNA 350BT
50.2 cc • 1.6 kW • Air speed 289 km/h • 10.2 kg



C HUSQVARNA 570BTS
65.6 cc • 2.9 kW • Air speed 379 km/h • 11.2 kg



C HUSQVARNA 578BTF
75.6 cc • 3.14 kW • Air speed 331 km/h • 10.5 kg • Fire Control



C HUSQVARNA 580BTS
75.6 cc • 3.3 kW • Air speed 331 km/h • 11.8 kg



H HUSQVARNA 125BVX
28.0 cc • 0.8 kW • 209 km/h • 4.3 kg



C HUSQVARNA 525BX
25.4 cc • 0.85 kW • 252 km/h • 4.3 kg

TILLERS & CULTIVATORS



L HUSQVARNA TF435P
Honda GP160 Engine
• 16.3 cc • 4.69 HP • 3.5 kW
• Chain/Pneumatic • Front tine



L HUSQVARNA TF545D ELECTRIC START
Husqvarna Diesel Engine • 8.85 HP
• 6.6 kW • Chain/Gear • Front tine
• Working width 135 cm • Working depth 30 cm • 158 kg • Electric Start



L HUSQVARNA TF545D MANUAL START
Husqvarna Diesel Engine • 8.85 HP
• 6.6 kW • Chain/Gear • Front tine
• Working width 135 cm
• Working depth 30 cm • 158 kg



L HUSQVARNA TR262
Husqvarna Engine • 21.2 cc • 4.5 kW
• Chain/Gear • Rear tine
• Working width 62 cm
• Working depth 16 cm • 104 kg



H HUSQVARNA TF230
Husqvarna Engine • 4.63HP • 196 cc
• 3.45 kW • Chain/Manual • Front tine
• Working width 75 cm • Working depth 30 cm • 66.5 kg



H HUSQVARNA TF338
Husqvarna Engine • 4.83HP • 212 cc
• 3.6 kW • Chain/Manual • Front tine
• Working width 95 cm
• Working depth 30 cm • 93 kg



H HUSQVARNA TR348
Briggs and Stratton 950 Series Engine
• 208 cc • 4.5 kW • Chain/Gear
• Rear tine • Working width 48 cm
• Working depth 15 cm • 73 kg

LAWNMOWERS



L HUSQVARNA GX 560
Honda • GCV160
• 3.0 kW @ 3150 rpm
• 16.3 cc • Collection/BioClip®
• 50.5 cm • Push



L HUSQVARNA LB 553 SE
Honda OHC • GCV160
• 2.8 kW @ 2900 rpm
• 16.0 cc • BioClip® • 53 cm
• Self-propelled



H HUSQVARNA LC19AP
Briggs & Stratton 750 series engine
• 16.1 cc • 2.7 kW @ 2900 rpm
• 48 cm • Push • Collection/BioClip®
• 44 L Grass Collector
• Alloy Cutting Deck



H HUSQVARNA LC 151
Husqvarna HSI66A series engine
• 16.6 cc • 2.7 kW @ 2800 rpm • 51 cm
• Push • TrioClip® • 65 L Grass Collector • Steel Cutting Deck



L HUSQVARNA LB 548 SE
Honda OHC GCV160 • 16.0 cc
• 2.8 kW @ 2900 rpm • 48 cm
• BioClip® • Self-propelled



H HUSQVARNA LC 219 P
Husqvarna HSI66A series engine
• 16.6 cc • 2.8 kW @ 2800 rpm
• 48 cm • Push • Collection/BioClip®
• 44 L Grass Collector
• Steel Cutting Deck



H HUSQVARNA LC 353 V
Husqvarna HSI66A series engine
• 16.6 cc • 2.8 kW @ 2800 rpm
• BioClip® • 53 cm • Variable drive speed



H HUSQVARNA LC 419 SP
Husqvarna HSI66A series engine
• 16.6 cc • 2.8 kW @ 2800 rpm
• 48 cm • Self-Propelled
• Collection/BioClip®
• 44 L Grass Collector
• Alloy Cutting Deck



H HUSQVARNA LC 419 A
Husqvarna HSI66A series engine
• 16.6 cc • 2.8 kW @ 2800 rpm
• 48 cm • Push • Collection/BioClip®
• 44 L Grass Collector
• Alloy Cutting deck



H HUSQVARNA 54
5 Blades • 40 cm
• Manual push
• 8.6 kg

HUSQVARNA FLEET SERVICES™

AN EASIER WAY TO KEEP TRACK OF YOUR EQUIPMENT

ROBOTIC MOWERS



L HUSQVARNA AUTOMOWER® 450X
Working area up to 5000 m²
(+/- 20%) • 24 cm • 2 - 6 cm
• 13.9 kg • Excludes installation kit



L HUSQVARNA AUTOMOWER® 430X
Working area up to 3200 m²
(+/- 20%) • 24 cm • 2 - 6 cm
• 13.2 kg • Excludes installation kit



L HUSQVARNA AUTOMOWER® 440
Working area up to 4000 m²
(+/- 20%) • 24 cm • 2 - 6 cm
• 12.9 kg • Excludes installation kit



H HUSQVARNA AUTOMOWER® 420
Working area up to 2200 m²
(+/- 20%) • 24 cm • 2 - 6 cm
• 12.2 kg • Excludes installation kit

ROBOTIC MOWERS CONTINUED



C HUSQVARNA AUTOMOWER® 550
Working area up to 5000 m²
(+/- 20%) • 24 cm • 2 - 6 cm
• 13.5 kg • Excludes installation kit



C HUSQVARNA AUTOMOWER® 520
Working area up to 2200 m²
(+/- 20%) • 24 cm • 2 - 6 cm
• 13.3 kg • Excludes installation kit



LAWN TRACTORS



H HUSQVARNA TS 138L
Husqvarna Series™ Engine
• 452 cc • 14.71 HP • 11.0 kW
• Hydrostatic • 97 cm cutting width
• Stamped cutting deck



H HUSQVARNA TS 142
Husqvarna Series™ Engine
• 608 cc • 19 HP • 14.0 kW
• Hydrostatic • 107 cm cutting width
• Reinforced stamped cutting deck



H HUSQVARNA TS 148
Husqvarna Series™ V-Twin Engine
• 764 cc • 26 HP • 19.4 kW
• Hydrostatic • 122 cm cutting width
• Reinforced stamped cutting deck



H HUSQVARNA TS 242D
Husqvarna Series™ V-Twin Engine
• 764 cc • 26 HP • 19.4 kW
• Hydrostatic • 107 cm cutting width
• ClearCut™ cutting deck



H HUSQVARNA TC 138L
Husqvarna Series™ V-Twin Engine
• 764 cc • 26 HP • 19.4 kW
• Hydrostatic • 97 cm cutting width
• Stamped cutting deck • Collect



L HUSQVARNA TS 248TXD
Kawasaki FR691V Engine • 726 cc
• 23.0 HP • 17.2 kW • Hydrostatic
• 122 cm cutting width
• ClearCut™ cutting deck



L HUSQVARNA TC 242TX
Kawasaki FR651V Engine • 726 cc
• 21.5 HP • 16 kW • Hydrostatic
• 107 cm cutting width
• Stamped cutting deck • Collect



H HUSQVARNA TS 254G
Husqvarna Series™ V-Twin Engine
• 764 cc • 26 HP • 19.6 kW
• 137 cm ClearCut™ cutting deck

COMMERCIAL FRONT MOWERS



C HUSQVARNA P525D
Kubota Diesel Engine • 1123 cc
• 18.7 kW • Hydrostatic AWD
• Delivered deckless
• Suited to 155 cm cutting deck



C HUSQVARNA P 524EFI
Kawasaki FX Series V-Twin Engine
• 726 cc • 15.4 kW • Hydrostatic AWD
• Delivered deckless
• Suited to CT1122 cutting deck

RIDERS



L HUSQVARNA R420TSX AWD - DECKLESS
Kawasaki FS651V Engine • 726 cc
• 18.77 HP • 14 kW • Hydrostatic AWD
• Delivered deckless
• Suited to 122 cm combi cutting deck



L HUSQVARNA R419TSX AWD - DECKLESS
Briggs & Stratton Engine • 656 cc
• 15.8 HP • 11.8 kW • Hydrostatic AWD
• Delivered deckless
• Suited to 112 cm combi cutting deck



H L HUSQVARNA R316TX AWD - DECKLESS
Kawasaki FS481V Engine • 603 cc
• 12.87 HP • 9.6 kW • Hydrostatic AWD
• Delivered deckless
• Suited to 103 cm combi cutting deck



H L HUSQVARNA R316TX - DECKLESS
Kawasaki FS481V Engine • 603 cc
• 12.87 HP • 9.6 kW • Hydrostatic
• Delivered deckless
• Suited to 103 cm cutting deck



H HUSQVARNA R214TC
Briggs & Stratton Intek Series V-Twin Engine • 656 cc • 13.5 HP
• 9.9 kW • Hydrostatic • Delivered with 94 cm combi cutting deck

ZERO TURNS



C HUSQVARNA Z572X
Kawasaki FX921 Engine • 31 HP
• 23.1 kW • 999 cc • Hydrostatic
• 183 cm cutting width



C HUSQVARNA Z560X
Kawasaki FX921 Engine • 31 HP
• 23.1 kW • 999 cc • Hydrostatic
• 153 cm cutting width



L HUSQVARNA Z460
Kawasaki FS691V Engine • 23.0 HP
• 23.1 kW • 999 cc • Hydrostatic
• 155 cm cutting width
• Fabricated cutting deck



L HUSQVARNA MZ54
Kawasaki FR730V Engine
• 24.0 HP • 17.9 kW • 726 cc
• Hydrostatic • 137 cm cutting width
• ClearCut™ cutting deck



L HUSQVARNA Z248F
Kawasaki FR691V Engine
• 23.0 HP • 17.2 kW • 726 cc
• Hydrostatic • 122 cm cutting width
• ClearCut™ cutting deck



H HUSQVARNA Z242F
Kawasaki FR651V Engine • 21.5 HP • 16 kW
• 726 cc • Hydrostatic • 107 cm cutting width
• ClearCut™ cutting deck



H HUSQVARNA Z146
Kawasaki FR600V Engine • 18.0 HP • 13.4 kW
• 726 cc • Hydrostatic • 117 cm cutting width
• Reinforced stamped cutting deck

GENERATORS



L HUSQVARNA G8500P
75 kW • 27 L Fuel tank • Electric start - optional • Wheels • Fuel guage
• Carry handle • Battery not included



L HU SQVARNA G5500P
50 kW • 25 L Fuel tank
• Electric starter • Wheels
• Fuel guage • Carry handle



L HUSQVARNA G3200P
27 kW • 15 L Fuel tank
• Fuel guage • Carry handle



L HUSQVARNA G2500P
20 kW • 15 L Fuel tank
• Fuel guage • Carry handle



H HUSQVARNA G1300P
0.8 kW • 6 L Fuel tank
• Fuel guage • Carry handle

WATER PUMPS



C HUSQVARNA W100D
Inlet/outlet size 100 mm • Lift 24 m
• Suction 5 m • Capacity 75 m³/h



C HUSQVARNA W80P
Inlet/outlet size 80 mm • Lift 28 m
• Suction 4 m • Capacity 50 m³/h



C HUSQVARNA W50P
Inlet/outlet size 50 mm • Lift 30 m
• Suction 7 m • Capacity 26 m³/h



C HUSQVARNA W40P
Inlet/outlet size 40 mm • Lift 15 m
• Suction 4 m • Capacity 12 m³/h

MULTI-PURPOSE ENGINES



C HUSQVARNA HH163
Husqvarna HH 163MP • 5 HP
• 163 cm³ Displacement
• Parallel 3/4" Crankshaft • 15 kg



C HUSQVARNA HH198
Husqvarna HH 198MP Engine
• 6.5 HP • 196 cm³ Displacement
• Parallel 1" Crankshaft • 16 kg



C HUSQVARNA HH270
Husqvarna HH 270MP Engine
• 9 HP • 270 cm³ Displacement
• Parallel 1" Crankshaft • 25 kg



C HUSQVARNA HH389
Husqvarna HH 389MP Engine
• 13 HP • 389 cm³ Displacement
• Parallel 1" Crankshaft • 31 kg

PETROL HP WASHERS



L HUSQVARNA HB34
208 cc • 4.8 kW • 300 - 3400 PSI



C HUSQVARNA HH42
389 cc • 8.7 kW • 300 - 4200 PSI

PRESSURE WASHERS



H HUSQVARNA PW 480
Max pressure 180 bar • 2.9 kW
• Hose length 13 m
• Water flow 540 - 610 l/h • 27.8 kg



H HUSQVARNA PW 360
Max pressure 160 bar • 2.3 kW
• Hose length 10 m
• Water flow 420 - 500 l/h • 20.8 kg



H HUSQVARNA PW 345C
Max pressure 145 bar • 2.4 kW
• Hose length 8 m
• Water flow 420 - 550 l/h • 13.2 kg



H HUSQVARNA PW 235
Max pressure 135 bar • 1.8 kW
• Hose length 7 m
• Water flow 350 - 520 l/h • 9.6 kg



H HUSQVARNA PW 125
Max pressure 125 bar • 1.5 kW
• Hose length 7 m
• Water flow 320 - 460 l/h • 7.1 kg

WET & DRY VACUUM

H HUSQVARNA WDC 220
Max vacuum 210 mbar
• 20 L capacity
• 50-60 Hz frequency
• 1 kW
• Air flow 3 600 l/min



HUSQVARNA TAKES CARE OF YOU AND YOUR EQUIPMENT

A good job becomes better, safer and more enjoyable with the right spares, accessories and equipment. So when we develop accessories and supplementary tools, we apply the same thinking as when we develop our other products: We listen to the most demanding customers and let their views form the basis for our product design and our choice of materials.

C COMMERCIAL Extreme Duty - All day, every day use.

L LANDOWNER Heavy Duty - Frequent or demanding use.

H HOMEOWNER Medium Duty - Seasonal or occasional use.